

**SECTION VIEW A-A** D6-1


**RELEASED**  
2012-10-31

**D4093-1 BRACKET**

**NOTES:**




- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR  
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)  
OR ASTM B211 OR ASTM B221  
OR 6061-T6/T62 ALUMINUM SHEET  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR AMS 4025 OR AMS 4027  
OR ASTM B209  
REF DART SPEC. M6061T6B/M6061T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.55 lbs

D	ADD $\varnothing 0.080$ HOLES (ZN B5-2, B5-4)	RF	12.09.18
C	REDRAWN D4093-1/-3 (ZN B4-1, B4-2); ADD MATERIAL NOTES (ZN A8-1, A8-3, A8-5)	RF	11.07.27
B	REDRAWN D4093-1/-3 (ZN B4-1, B4-2)	RF	11.01.31
A	NEW ISSUE	RF	10.09.16
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. <b>D4093</b> REV. D	
MFG. APPR.	<i>[Signature]</i>	SHEET 1 OF 5	
APPROVED	<i>[Signature]</i>	TITLE <b>BRACKET</b> SCALE	
DE APPR.	<i>[Signature]</i>	NTS	
DATE	12.09.18	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



RELEASED  
2012-10-31  
[Signature]

DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>[Signature]</i>	D4093	SHEET 2 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS
DATE	12.09.18	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



# **D4093-3 BRACKET**



## **SECTION VIEW B-B B5-3**

**RELEASED**  
2012-10-31

### **NOTES:**

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR  
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)  
OR ASTM B211 OR ASTM B221
- OR 6061-T6/T62 ALUMINUM SHEET  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR AMS 4025 OR AMS 4027  
OR ASTM B209  
REF DART SPEC. M6061T6B/M6061T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.64 lbs"



DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. <b>D4093</b>	REV. D
MFG. APPR.	<i>[Signature]</i>		SHEET 3 OF 5
APPROVED	<i>[Signature]</i>	TITLE <b>BRACKET</b>	SCALE NTS
DE APPR.	<i>[Signature]</i>		
DATE	<b>12.09.18</b>	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



**D4093-3 BRACKET**

**RELEASED**  
2012-10-31  
*MD*

DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>[Signature]</i>	<b>D4093</b>	SHEET 4 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>BRACKET</b>	NTS.
DATE	12.09.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



**D4093-5 BRACKET**

**NOTES:**

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR  
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)  
OR ASTM B211 OR ASTM B221  
OR 6061-T6/T62 ALUMINUM SHEET  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR AMS 4025 OR AMS 4027  
OR ASTM B209  
REF DART SPEC. M6061T6B/M6061T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.06 lbs

**RELEASED**  
2012-10-31  
*[Signature]*

DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. <b>D4093</b>	REV. D SHEET 5 OF 5
MFG. APPR.	<i>[Signature]</i>	TITLE <b>BRACKET</b>	SCALE NTS
APPROVED	<i>[Signature]</i>	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	
DE APPR.	<i>[Signature]</i>		
DATE	12.09.18		